

02110-57

证 明

CERTIFICATE

本证明之附件是向中国专利局作为受理局提交的下列国际申请副本
THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY OF THE BELOW
IDENTIFIED INTERNATIONAL APPLICATION THAT WAS FILED WITH THE
CHINESE PATENT OFFICE AS RECEIVING OFFICE

国 际 申 请 号: PCT/CN02/00843

INTERNATIONAL APPLICATION NUMBER

国 际 申 请 日: 25 NOV 2002(25.11.02)

INTERNATILNAL FILING DATE

发 明 名 称 : An Exchange Method and Mechanism for a
TITLE OF INVENTION Component of the Magnetic Head and the
Suspension or the Head Gimbal Assembly of
the Hard Disk Driver During Manufacture

申 请 人: SAE MAGNETICS(H.K.)LTD
APPLICANT



中华人民共和国国家知识产权局局长
COMMISSIONER OF THE STATE INTELLECTUAL PROPERTY
OFFECE OF THE PEOPLE'S REPUBLIC OF CHINA

王 荣 川

二零零三年一月七日
JANUARY. 7. 2003

PCT

REQUEST

The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.

For receiving Office use only

International Application No.	PCT/CN 02/00843
International Filing Date	25 NOV 2002 (25.11.02)
RO/CN 中华人民共和国国家知识产权局 PCT International Application	
Name of receiving Office and "PCT International Application"	
Applicant's or agent's file reference (if desired) (12 characters maximum) FPEL02150039	

Box No. I TITLE OF INVENTION An Exchange Method and Mechanism for a Component of the Magnetic Head and the Suspension or the Head Gimbal Assembly of the Hard Disk Driver During Manufacture	
Box No. II APPLICANT <input type="checkbox"/> This person is also inventor	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) SAE MAGNETICS (H. K.) LTD. SAE Tower, 38-42 Kwai Fung Crescent Kwai Chung N. T. Hong Kong Special Administrative Region, P. R. of China	Telephone No. Facsimile No. Teleprinter No. Applicant's registration No. with the Office
State (that is, country) of nationality: CN	State (that is, country) of residence: CN
This person is applicant for the purposes of: <input checked="" type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.) YAO, Minggao Winnerway Industrial Area, Nancheng, Dongguan City Guangdong Province, P. R. of China Zip Code: 511700	This person is: <input type="checkbox"/> applicant only <input type="checkbox"/> applicant and inventor <input checked="" type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.) Applicant's registration No. with the Office
State (that is, country) of nationality:	State (that is, country) of residence:
This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box	
<input checked="" type="checkbox"/> Further applicants and/or (further) inventors are indicated on a continuation sheet.	
Box No. IV AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CORRESPONDENCE	
The person identified below is hereby/has been appointed to act on behalf of the applicant(s) before the competent International Authorities as: <input checked="" type="checkbox"/> agent <input type="checkbox"/> common representative	
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.) CHINA PATENT AGENT (H.K.) LTD. 22/F, Great Eagle Centre 23 Harbour Road, Wanchai Hong Kong Special Administrative Region The People's Republic of China	Telephone No. (852)28284688 Facsimile No. (852)28271018 Teleprinter No. Agent's registration No. with the Office
<input type="checkbox"/> Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.	

Continuation of Box No. III FURTHER APPLICANT(S) AND/OR (FURTHER) INVENTOR(S)	
<i>If none of the following sub-boxes is used, this sheet should not be included in the request.</i>	
<p><small>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</small></p> <p>SHIRAIISHI, Masashi Flat C, 22/F, Tower 9 Laguna Verde (Phase II A) Hung Hom, Kowloon Hong Kong Special Administrative Region P. R. of China</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input checked="" type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
<p>Applicant's registration No. with the Office</p>	
<p>State (that is, country) of nationality:</p>	<p>State (that is, country) of residence:</p>
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><small>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</small></p> <p>XIE, Yiru Winnerway Industrial Area, Nancheng, Dongguan City Guangdong Province, P. R. of China Zip Code: 511700</p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input checked="" type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
<p>Applicant's registration No. with the Office</p>	
<p>State (that is, country) of nationality:</p>	<p>State (that is, country) of residence:</p>
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><small>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</small></p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
<p>Applicant's registration No. with the Office</p>	
<p>State (that is, country) of nationality:</p>	<p>State (that is, country) of residence:</p>
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><small>Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (that is, country) of residence if no State of residence is indicated below.)</small></p>	<p>This person is:</p> <p><input type="checkbox"/> applicant only</p> <p><input type="checkbox"/> applicant and inventor</p> <p><input type="checkbox"/> inventor only (If this check-box is marked, do not fill in below.)</p>
<p>Applicant's registration No. with the Office</p>	
<p>State (that is, country) of nationality:</p>	<p>State (that is, country) of residence:</p>
<p>This person is applicant for the purposes of: <input type="checkbox"/> all designated States <input type="checkbox"/> all designated States except the United States of America <input type="checkbox"/> the United States of America only <input type="checkbox"/> the States indicated in the Supplemental Box</p>	
<p><input type="checkbox"/> Further applicants and/or (further) inventors are indicated on another continuation sheet.</p>	

Box No. V DESIGNATION OF STATES

Mark the applicable check-boxes below; at least one must be marked.

The following designations are hereby made under Rule 4.9(a):

Regional Patent

- ☐ **AP ARIPO Patent:** GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, MZ Mozambique, SD Sudan, SL Sierra Leone, SZ Swaziland, TZ United Republic of Tanzania, UG Uganda, ZM Zambia, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT (if other kind of protection or treatment desired, specify on dotted line)
- ☐ **EA Eurasian Patent:** AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT
- ☐ **EP European Patent:** AT Austria, BE Belgium, BG Bulgaria, CH & LI Switzerland and Liechtenstein, CY Cyprus, CZ Czech Republic, DE Germany, DK Denmark, EE Estonia, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, SK Slovakia, TR Turkey, and any other State which is a Contracting State of the European Patent Convention and of the PCT
- ☐ **OA OAPI Patent:** BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, GQ Equatorial Guinea, GW Guinea-Bissau, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)

National Patent (if other kind of protection or treatment desired, specify on dotted line):

- | | | |
|--|---|---|
| <input type="checkbox"/> AE United Arab Emirates | <input type="checkbox"/> GM Gambia | <input type="checkbox"/> NZ New Zealand |
| <input type="checkbox"/> AG Antigua and Barbuda | <input type="checkbox"/> HR Croatia | <input type="checkbox"/> OM Oman |
| <input type="checkbox"/> AL Albania | <input type="checkbox"/> HU Hungary | <input type="checkbox"/> PH Philippines |
| <input type="checkbox"/> AM Armenia | <input type="checkbox"/> ID Indonesia | <input type="checkbox"/> PL Poland |
| <input type="checkbox"/> AT Austria | <input type="checkbox"/> IL Israel | <input type="checkbox"/> PT Portugal |
| <input type="checkbox"/> AU Australia | <input type="checkbox"/> IN India | <input type="checkbox"/> RO Romania |
| <input type="checkbox"/> AZ Azerbaijan | <input type="checkbox"/> IS Iceland | <input type="checkbox"/> RU Russian Federation |
| <input type="checkbox"/> BA Bosnia and Herzegovina | <input type="checkbox"/> JP Japan | |
| <input type="checkbox"/> BB Barbados | <input type="checkbox"/> KE Kenya | <input type="checkbox"/> SD Sudan |
| <input type="checkbox"/> BG Bulgaria | <input type="checkbox"/> KG Kyrgyzstan | <input type="checkbox"/> SE Sweden |
| <input type="checkbox"/> BR Brazil | <input type="checkbox"/> KP Democratic People's Republic of Korea | <input type="checkbox"/> SG Singapore |
| <input type="checkbox"/> BY Belarus | <input type="checkbox"/> KR Republic of Korea | <input type="checkbox"/> SI Slovenia |
| <input type="checkbox"/> BZ Belize | <input type="checkbox"/> KZ Kazakhstan | <input type="checkbox"/> SK Slovakia |
| <input type="checkbox"/> CA Canada | <input type="checkbox"/> LC Saint Lucia | <input type="checkbox"/> SL Sierra Leone |
| <input type="checkbox"/> CH & LI Switzerland and Liechtenstein | <input type="checkbox"/> LK Sri Lanka | <input type="checkbox"/> TJ Tajikistan |
| <input checked="" type="checkbox"/> CN China | <input type="checkbox"/> LR Liberia | <input type="checkbox"/> TM Turkmenistan |
| <input type="checkbox"/> CO Colombia | <input type="checkbox"/> LS Lesotho | <input type="checkbox"/> TN Tunisia |
| <input type="checkbox"/> CR Costa Rica | <input type="checkbox"/> LT Lithuania | <input type="checkbox"/> TR Turkey |
| <input type="checkbox"/> CU Cuba | <input type="checkbox"/> LU Luxembourg | <input type="checkbox"/> TT Trinidad and Tobago |
| <input type="checkbox"/> CZ Czech Republic | <input type="checkbox"/> LV Latvia | |
| <input type="checkbox"/> DE Germany | <input type="checkbox"/> MA Morocco | <input type="checkbox"/> TZ United Republic of Tanzania |
| <input type="checkbox"/> DK Denmark | <input type="checkbox"/> MD Republic of Moldova | <input type="checkbox"/> UA Ukraine |
| <input type="checkbox"/> DM Dominica | <input type="checkbox"/> MG Madagascar | <input type="checkbox"/> UG Uganda |
| <input type="checkbox"/> DZ Algeria | <input type="checkbox"/> MK The former Yugoslav Republic of Macedonia | <input type="checkbox"/> US United States of America |
| <input type="checkbox"/> EC Ecuador | <input type="checkbox"/> MN Mongolia | |
| <input type="checkbox"/> EE Estonia | <input type="checkbox"/> MW Malawi | <input type="checkbox"/> UZ Uzbekistan |
| <input type="checkbox"/> ES Spain | <input type="checkbox"/> MX Mexico | <input type="checkbox"/> VN Viet Nam |
| <input type="checkbox"/> FI Finland | <input type="checkbox"/> MZ Mozambique | <input type="checkbox"/> YU Yugoslavia |
| <input type="checkbox"/> GB United Kingdom | <input type="checkbox"/> NO Norway | <input type="checkbox"/> ZA South Africa |
| <input type="checkbox"/> GD Grenada | | <input type="checkbox"/> ZM Zambia |
| <input type="checkbox"/> GE Georgia | | <input type="checkbox"/> ZW Zimbabwe |
| <input type="checkbox"/> GH Ghana | | |

Check-boxes below reserved for designating States which have become party to the PCT after issuance of this sheet:

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Precautionary Designation Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit. (Confirmation (including fees) must reach the receiving Office within the 15-month time limit.)

Box No. VI PRIORITY CLAIM

The priority of the following earlier application(s) is hereby claimed:

Filing date of earlier application (day/month/year)	Number of earlier application	Where earlier application is:		
		national application: country or Member of WTO	regional application:* regional Office	international application: receiving Office
item (1)				
item (2)				
item (3)				
item (4)				
item (5)				

☐ Further priority claims are indicated in the Supplemental Box.

The receiving Office is requested to prepare and transmit to the International Bureau a certified copy of the earlier application(s) (only if the earlier application was filed with the Office which for the purposes of this international application is the receiving Office) identified above as:

☐ all items ☐ item (1) ☐ item (2) ☐ item (3) ☐ item (4) ☐ item (5) ☐ other, see Supplemental Box

* Where the earlier application is an ARIPO application, indicate at least one country party to the Paris Convention for the Protection of Industrial Property or one Member of the World Trade Organization for which that earlier application was filed (Rule 4.10(b)(ii)):

Box No. VII INTERNATIONAL SEARCHING AUTHORITY

Choice of International Searching Authority (ISA) (if two or more International Searching Authorities are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used):

ISA /

Request to use results of earlier search; reference to that search (if an earlier search has been carried out by or requested from the International Searching Authority):

Date (day/month/year)

Number

Country (or regional Office)

Box No. VIII DECLARATIONS

The following declarations are contained in Boxes Nos. VIII (i) to (v) (mark the applicable check-boxes below and indicate in the right column the number of each type of declaration):

Number of
declarations

- | | | |
|---|--|---|
| <input type="checkbox"/> Box No. VIII (i) | Declaration as to the identity of the inventor | : |
| <input type="checkbox"/> Box No. VIII (ii) | Declaration as to the applicant's entitlement, as at the international filing date, to apply for and be granted a patent | : |
| <input type="checkbox"/> Box No. VIII (iii) | Declaration as to the applicant's entitlement, as at the international filing date, to claim the priority of the earlier application | : |
| <input type="checkbox"/> Box No. VIII (iv) | Declaration of inventorship (only for the purposes of the designation of the United States of America) | : |
| <input type="checkbox"/> Box No. VIII (v) | Declaration as to non-prejudicial disclosures or exceptions to lack of novelty | : |

Box No. IX CHECK LIST; LANGUAGE OF FILING

This international application contains:		This international application is accompanied by the following item(s) (mark the applicable check-boxes below and indicate in right column the number of each item):	Number of items
(a) the following number of sheets in paper form:		1. <input checked="" type="checkbox"/> fee calculation sheet	1 <input checked="" type="checkbox"/>
request (including declaration sheets) :	5	2. <input checked="" type="checkbox"/> original separate power of attorney	1
description (excluding sequence listing part) :	9	3. <input type="checkbox"/> original general power of attorney	
claims :	4	4. <input type="checkbox"/> copy of general power of attorney; reference number, if any:	
abstract :	1	5. <input type="checkbox"/> statement explaining lack of signature	
drawings :	12	6. <input type="checkbox"/> priority document(s) identified in Box No. VI as item(s):	
Sub-total number of sheets :	31	7. <input type="checkbox"/> translation of international application into (language):	
sequence listing part of description (actual number of sheets if filed in paper form, whether or not also filed in computer readable form; see (b) below) :		8. <input type="checkbox"/> separate indications concerning deposited microorganism or other biological material	
Total number of sheets :	31	9. <input type="checkbox"/> sequence listing in computer readable form (indicate also type and number of carriers (diskette, CD-ROM, CD-R or other))	
(b) sequence listing part of description filed in computer readable form		(i) <input type="checkbox"/> copy submitted for the purposes of international search under Rule 13ter only (and not as part of the international application)	
(i) <input type="checkbox"/> only (under Section 801(a)(i))		(ii) <input type="checkbox"/> (only where check-box (b)(i) or (b)(ii) is marked in left column) additional copies including, where applicable, the copy for the purposes of international search under Rule 13ter	
(ii) <input type="checkbox"/> in addition to being filed in paper form (under Section 801(a)(ii))		(iii) <input type="checkbox"/> together with relevant statement as to the identity of the copy or copies with the sequence listing part mentioned in left column	
Type and number of carriers (diskette, CD-ROM, CD-R or other) on which the sequence listing part is contained (additional copies to be indicated under item 9(ii), in right column):		10. <input type="checkbox"/> other (specify):	
Figure of the drawings which should accompany the abstract: Fig 5a	Language of filing of the international application: EN		

Box No. X SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESENTATIVE

Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).



For receiving Office use only		2. Drawings: <input type="checkbox"/> received: <input type="checkbox"/> not received:
1. Date of actual receipt of the purported international application:	25 NOV 2002 (25.11.02)	
3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:		
4. Date of timely receipt of the required corrections under PCT Article 11(2):		
5. International Searching Authority (if two or more are competent): ISA /	6. <input type="checkbox"/> Transmittal of search copy delayed until search fee is paid	

For International Bureau use only

Date of receipt of the record copy by the International Bureau:

PCT

FEE CALCULATION SHEET

Annex to the Request

For receiving Office use only

International Application No. PCT/CN 02/00843

25 NOV 2002 (25.11.02)

Date stamp of the receiving Office

Applicant's or agent's
file reference

FPEL02150039

Applicant

SAE MAGNETICS (H.K.) LTD.

CALCULATION OF PRESCRIBED FEES

1. TRANSMITTAL FEE

CNY500

T

CNY 500.-

2. SEARCH FEE

CNY1500

S

CNY 1500.-

International search to be carried out by

CN

(If two or more International Searching Authorities are competent to carry out the international search, indicate the name of the Authority which is chosen to carry out the international search.)

3. INTERNATIONAL FEE

Basic Fee

Where item (b) of Box No. IX applies, enter Sub-total number of sheets

31

Where item (b) of Box No. IX does not apply, enter Total number of sheets

b1 first 30 sheets

CHF650

b1

CHF 650.-

b2

1

number of sheets
in excess of 30

x

CHF15

fee per sheet

=

CHF15

b2

CHF 15.-

b3 additional component (only if sequence listing part of description is filed in computer readable form under Section 801(a)(i), or both in that form and on paper, under Section 801(a)(ii)):

400 x

fee per sheet

b3

Add amounts entered at b1, b2 and b3 and enter total at B

CHF665

B

CHF 665.-

Designation Fees

The international application contains 1 designations.

1

number of designation fees
payable (maximum 5)

x

CHF140

amount of designation fee

=

CHF140

D

CHF 140.-

Add amounts entered at B and D and enter total at I

CHF805

I

CHF 805.-

(Applicants from certain States are entitled to a reduction of 75% of the international fee. Where the applicant is (or all applicants are) so entitled, the total to be entered at I is 25% of the sum of the amounts entered at B and D.)

4. FEE FOR PRIORITY DOCUMENT (if applicable)

P

5. TOTAL FEES PAYABLE

CNY2000CHF805

TOTAL

CNY 2000.-

CHF 805.-

☐ The designation fees are not paid at this time.

MODE OF PAYMENT

☒ authorization to charge
deposit account (see below)

☐ postal money order

☐ cash

☐ coupons

☐ cheque

☐ bank draft

☐ revenue stamps

☐ other (specify):

AUTHORIZATION TO CHARGE (OR CREDIT) DEPOSIT ACCOUNT

(This mode of payment may not be available at all receiving Offices)

☒ Authorization to charge the total fees indicated above.

☒ (This check-box may be marked only if the conditions for deposit accounts of the receiving Office so permit) Authorization to charge any deficiency or credit any overpayment in the total fees indicated above.

☒ Authorization to charge the fee for priority document.


Receiving Office: RO/ CN

Deposit Account No.

Date:

Name:

Signature:



**An Exchange Method and Mechanism for a Component of the
Magnetic Head and the Suspension or the Head Gimbal
Assembly of the Hard Disk Driver During Manufacture**

5 Background Information

[0001] The present invention relates to magnetic hard disk drives. More specifically, the present invention relates to a method of inspecting magnetic read/write heads and micro-actuators during the manufacturing process.

[0002] In the art today, different methods are utilized to improve recording density of
10 hard disk drives. **Figure 1** provides an illustration of a typical disk drive with a typical drive arm 102 configured to read from and write to a magnetic hard disk 104. Typically, voice-coil motors (VCM) 106 are used for controlling a hard drive's arm 102 motion across a magnetic hard disk 106. Because of the inherent tolerance (dynamic play) that exists in the placement of a recording head 108 by a VCM 106 alone, micro-actuators 110 are now
15 being utilized to 'fine-tune' head 108 placement. A VCM 106 is utilized for course adjustment and the micro-actuator 110 then corrects the placement on a much smaller scale to compensate for the VCM's 106 (with the arm 102) tolerance. This enables a smaller recordable track width, increasing the 'tracks per inch' (TPI) value of the hard drive (increased drive density).

20 [0003] **Figure 2** provides an illustration of a micro-actuator as used in the art. Typically, a slider 202 (containing a read/write magnetic head; not shown) is utilized for maintaining a prescribed flying height above the disk surface 104 (See Figure 1). Micro-actuators may have flexible beams 204 connecting a support device 206 to a slider containment unit 208 enabling slider 202 motion independent of the drive arm 102 (See Figure 1). An

electromagnetic assembly or an electromagnetic / ferromagnetic assembly (not shown) may be utilized to provide minute adjustments in orientation/location of the slider/head 202 with respect to the arm 102 (See Figure 1).

[0004] The component parts of the hard disk drive usually need to be inspected on each
5 side during the manufacture. Normally, this involves removing the parts from their packing trays one by one with a pair of tweezers or air tweezers. This handling often leads to damage to the component, as well as taking a great deal of time, which increase the unit cost of the component of the hard disk drive.

Brief Description Of The Drawings

[0005] Figure 1 provides an illustration of an internal view of a hard disk drive including a drive arm configured to read from and write to a magnetic hard disk as used in the art.

[0006] Figure 2 provides an illustration of a micro-actuator as used in the art.

5 [0007] Figure 3 describes a hard disk drive head gimbal assembly (HGA) with a 'U'-shaped micro-actuator.

[0008] Figures 4 a-b provide an illustration of one embodiment of a micro-actuator and magnetic read/write head.

[0009] Figures 5 a-d provide an illustration of one embodiment of a packing tray and an
10 exchange tray for a micro-actuator or a magnetic read/write head.

[0010] Figures 6 a-g provide an illustration of a method for using the packing tray and the exchange tray to inspect both sides of a micro-actuator or a magnetic read/write head.

[0011] Figure 7 provides an illustration of one embodiment of a head gimbal assembly packing tray.

15 [0012] Figures 8 a-d provide an illustration of a first method for using the head gimbal assembly packing tray.

[0013] Figures 9 a-b provide an illustration of one embodiment of a head gimbal assembly exchange tray.

[0014] Figures 10 a-f provides an illustration of a first method for using the head gimbal
20 assembly packing tray and the head gimbal assembly exchange tray.

Detailed Description

[0015] A method and mechanism for visually inspecting both sides of components for a hard disk drive are disclosed. In one embodiment, the components are stored in the containment units of a packing tray, with an exchange tray with matching containment units placed above and in contact with the packing tray. In a further embodiment, the components could be micro-actuators, magnetic read/write heads, head suspensions, head gimbal assemblies, or other parts of a hard disk drive. In one embodiment, the two trays are rotated, using gravity to cause the components to move from the packing containment unit to the exchange containment unit.

[0016] Illustrated in an upside-down orientation, **Figure 3** describes one embodiment of a hard disk drive head gimbal assembly (HGA) with a 'U'-shaped micro-actuator. In one embodiment, a slider 302 is coupled to a 'U'-shaped micro-actuator. In a further embodiment, the base 304 of the 'U'-shaped micro-actuator has an arm 306 on each side, with a piezoelectric Lead Zirconate Titanate (PZT) beam (arm) 308 attached to each arm 306. In one embodiment, a printed circuit assembly 310 is electrically coupled to the slider 302 to control reading and writing functions. The micro-actuator is coupled to a suspension assembly 312, the suspension assembly being part of the head gimbal assembly (HGA) 314. A first hole 316 is cut into the HGA 314 to reduce weight. A second hole 318 allows the HGA 314 to be mounted on a pivot.

[0017] **Figures 4 a-b** illustrate one embodiment of a micro-actuator and slider 302. **Figure 4a** illustrates one embodiment of the slider. In one embodiment, the slider has a top view 402 and a bottom view 404, each of which must be visually examined during

manufacture. **Figure 4b** illustrates one embodiment of the micro-actuator. In one embodiment, the micro-actuator has a base piece 304 with two arms 306 extending from the base piece 304. In a further embodiment, each arm 306 has a piezoelectric beam 308 coupled to each arm 306. In one embodiment, the slider 302 is coupled to the micro-actuator at a point 406 on each arm 306. The micro-actuator has a top side 408 and a bottom side 410, each of which must be visually examined during manufacture.

[0018] **Figures 5 a-d** illustrate one embodiment of the exchange tray and packing trays. **Figure 5a** shows one embodiment of the packing tray 502. In one embodiment, the packing tray 502 has a base 504 supporting one or more packing containment units 506, the packing containment units containing a magnetic read/write head, a micro-actuator, or some other component of the hard disk drive. In a further embodiment, these packing containment units are indentations shaped to fit the component being contained. In one embodiment, the corners of the packing tray are chamfered 508. In an alternate embodiment, the corners of the packing tray are squared 510. In one embodiment, an alignment bar 512 acts as a limiter, controlling the interaction between the packing tray and the other trays. In another embodiment, two pinholes 514 control the positioning of the packing tray 502 in relation to other trays.

[0019] **Figure 5b** illustrates one embodiment of the exchange tray 516. In one embodiment, the exchange tray 516 has a base 518 supporting one or more exchange containment units 520, the exchange containment units 520 matching the packing containment units 506 so as to allow components stored in the packing containment units 506 to be easily transferred from the packing containment units 520 to the exchange

containment units 506. In a further embodiment, these exchange containment units 520 are indentations shaped to fit the component being contained. In one embodiment, if the corners of the packing tray are chamfered 508, the corners of the exchange tray are chamfered 522. In an alternate embodiment, if the corners of the packing tray are squared 510, the corners of the exchange tray are squared 524. In one embodiment, an alignment indentation 526 acts as a limiter and is fitted to the limiter 512 of the packing tray 502. In another embodiment, two pinholes 528 allow the exchange tray to be aligned exactly above the packing tray 502.

[0020] Figure 5c illustrates an alternate embodiment of the alignment bar limiter 528. In one embodiment, the alignment bar limiter is attached to either the exchange tray 516 or the packing tray 502, with corresponding indentations in the opposing tray. Figure 5d illustrates one embodiment of a packing method using the packing trays 502.

[0021] Figures 6 a-g illustrate one embodiment of the interaction of the exchange tray with the packing tray. Figure 6a illustrates one embodiment of a packing tray 502 containing multiple magnetic read/write heads 202 or micro-actuators available for inspection on one side. Figure 6b shows a close-up of this embodiment of the packing tray 502. In one embodiment, each of the magnetic read/write heads 202 or micro-actuators are placed within a packing containment unit 506. In one embodiment of the exchange process, illustrated in Figure 6c, the exchange tray 516 is inverted and positioned above the packing tray 502. In one embodiment, the exchange tray pinholes 528 are aligned with the packing tray pinholes 514 and the alignment indentation 526 is aligned with the alignment bar 512, causing the packing containment units 506 to be aligned with

the exchange containment units 520.

[0022] In one embodiment illustrated in **Figure 6d**, the exchange tray 516 is placed together with the packing tray 502. In one embodiment illustrated in **Figure 6e**, the exchange tray 516 and the packing tray 502 are rotated to position the packing tray 502 on top and the exchange tray 516 on the bottom. Gravity moves each magnetic read/write head 202 or micro-actuator from the packing containment unit 506 to the exchange containment unit 520. In one embodiment shown in **Figure 6f**, the packing tray is removed, leaving the exchange tray 516 with the magnetic read/write heads 202 or micro-actuator available for inspection on the opposite side. **Figure 6g** shows an enhanced view of the exchange tray 516, in which each magnetic read/write head 202 or micro-actuator is in an exchange containment unit 520.

[0023] An alternate embodiment of a packing tray, to be used to store a set of head gimbal assemblies 314 or suspensions, is shown in **Figure 7**. In one embodiment, the packing tray 702 has a series of packing alignment indentation limiters 704 and a pair of packing alignment pinholes 706. In a further embodiment, the packing tray 702 has a pair of ventilation slots 708 running through the center of the tray 702. In one embodiment, multiple packing sets of pins, each one including a main pin 710 and two secondary pins 712, are attached to the packing tray 702 to hold in place an HGA 314.

[0024] **Figure 8a** illustrates the packing tray as used in one embodiment of the current method. **Figure 8b** provides an enhanced view of the same embodiment, in which the main pin 710 is inserted into the pivot hole 318 of the HGA 314. In a further embodiment, the secondary pins 712 are used to hold in place the load beam of the HGA 314 or the

forward arm of the suspension. The head gimbal assemblies 314 or the head suspensions are then available for visual inspection on this side.

[0025] An alternate embodiment of an exchange tray, to be used to exchange a set of head gimbal assemblies 314 or suspensions, is shown in **Figure 9a**. In one embodiment, the exchange tray 902 has a series of exchange alignment bar limiters 904 and a pair of exchange alignment pinholes 906. In a further embodiment, the exchange tray 902 has a pair of ventilation slots 908 running through the center of the tray 902. In one embodiment illustrated in the enhanced view of **Figure 9b**, multiple exchange sets of pins, including a main pin 910 and two secondary pins 912, are attached to the exchange tray 902 to receive an HGA 314 from the packing tray 702.

[0026] In one embodiment of the next step in the exchange process, as illustrated in the **Figure 10a**, the exchange tray 902 is inverted and placed above the packing tray 702. In one embodiment, one or more of the packing sets of pins has an HGA 314 affixed to it, with the pivot hole 318 around the main pin 910 and the arm of the HGA between the two secondary pins 912. In one embodiment, the exchange alignment bar limitations 904 are aligned above the corresponding packing alignment indentation limitations 704 and the exchange alignment pinholes 906 are aligned above the packing alignment pinholes 706, causing the exchange set of pins to be positioned above the packing set of pins. As shown in **Figure 10b**, the exchange tray 902 is pressed to the packing tray 702, with the exchange alignment bars 904 inserted into the packing alignment indentations 704. In one embodiment, the two trays are joined together by inserting a pin through an exchange pinhole 906 and a packing pinhole 706. As shown in the perspective view of **Figure 10c**

and the side view of **Figure 10d**, the head gimbal assemblies all are placed so that the main pins 710 of the packing tray 712 are in the pivot holes 318 of the head gimbal assemblies, and the arms of the head gimbal assemblies 314 are between the secondary pins 712.

[0027] In one embodiment of the process, the two trays are then rotated so that the exchange tray 902 is on bottom and the packing tray 702 is on top, using gravity to shift the head gimbal assemblies 314 or the head suspensions from the packing tray to the exchange tray. As illustrated in **Figure 10e**, the packing tray 702 is removed so that the opposite sides of the head gimbal assemblies 314 or the head suspensions are available in the exchange tray 902 for visual inspection. As shown in the enhanced the view of **Figure 10f**, the head gimbal assemblies or the head suspensions now rest in the exchange tray 902, with the pivot holes 318 around the main pins 910 and the arm of the head gimbal assemblies positioned between the secondary pins 912.

[0028] Although several embodiments are specifically illustrated and described herein, it will be appreciated that modifications and variations of the present invention are covered by the above teachings and within the purview of the appended claims without departing from the spirit and intended scope of the invention.

What is claimed is

1. An exchange tray comprising:
an exchange containment unit matching a packing containment unit of a packing tray
5 to receive a component of a hard disk drive; and
an exchange base to support the exchange containment unit.
2. The exchange tray of claim 1, wherein the exchange tray is able to contain a plurality of components.
- 10 3. The exchange tray of claim 1, wherein the exchange containment unit is an indentation shaped to hold the component.
4. The exchange tray of claim 1, wherein the exchange containment unit is a set of pins to
15 hold the component.
5. The exchange tray of claim 1, further comprising a limiter attached to the exchange base to match a limiter of the packing tray.
- 20 6. The exchange tray of claim 1, wherein the component is a magnetic read/write head.
7. The exchange tray of claim 1, wherein the component is a micro-actuator.
8. The exchange tray of claim 1, wherein the component is a head gimbal assembly.
- 25 9. The exchange tray of claim 1, wherein the component is a head suspension.
10. The exchange tray of claim 1, further comprising at least one pin hole in the exchange base matching at least one pin hole in the packing tray.

11. The exchange tray of claim 1, wherein the component is moved from the packing tray to the exchange tray by positioning the exchange tray above and in contact with the packing tray and rotating the packing tray and the exchange tray together.

5 12. A system, comprising:

a packing tray with a packing containment unit to hold a component of a hard disk drive; and

an exchange tray with an exchange containment unit matching the packing containment unit to receive the component.

10

13. The system of claim 12, wherein the exchange tray and the packing tray are able to contain an equal plurality of components.

14. The system of claim 12, wherein the exchange containment unit is an indentation
15 shaped to hold the component.

15. The system of claim 12, wherein the exchange containment unit is a set of pins to hold the component.

20 16. The system of claim 12, further comprising a limiter attached to the exchange base to match a limiter of the packing tray.

17. The system of claim 12, wherein the component is a magnetic read/write head.

25 18. The system of claim 12, wherein the component is a micro-actuator.

19. The system of claim 12, wherein the component is a head gimbal assembly.

20. The system of claim 12, wherein the component is a head suspension.

30

21. The system of claim 12, further comprising at least one pin hole in the exchange base matching at least one pin hole in the packing tray.

22. The system of claim 12, wherein the component is moved from the packing tray to the exchange tray by positioning the exchange tray above and in contact with the packing tray and rotating the packing tray and the exchange tray together.

23. A method, comprising:

placing a component of a hard disk drive in a packing containment unit of a packing tray;

positioning an exchange tray with an exchange containment unit matching the packing containment unit above and in contact with the packing tray; and

rotating the packing tray and the exchange tray together to move the component from the packing tray to the exchange tray.

24. The method of claim 23, further comprising:

holding a plurality of components in the packing tray simultaneously; and transferring the plurality of components to the exchange tray simultaneously.

25. The method of claim 23, wherein the exchange containment unit is an indentation shaped to hold the component.

26. The method of claim 23, wherein the exchange containment unit is a set of prongs to hold the component.

27. The method of claim 23, wherein a limiter attached to the exchange base matches a limiter of the packing tray.

28. The method of claim 23, wherein the component is a magnetic read/write head.

29. The method of claim 23, wherein the component is a micro-actuator.
30. The method of claim 23, wherein the component is a head gimbal assembly.
- 5 31. The method of claim 23, wherein the component is a head suspension.
32. The method of claim 23, further comprising securing at least one pin hole in the exchange base to at least one pin hole in the packing tray.

ABSTRACT

A method and mechanism for visually inspecting both sides of components for a hard disk drive are disclosed. The components are stored in the containment units of a packing tray, with an exchange tray with matching containment units placed above and in contact
5 with the packing tray. The components could be magnetic read/write heads, head gimbal assemblies, or other parts of hard disk drive. The two trays are rotated, using gravity to cause the components to move from the packing containment unit to the exchange containment unit.




FIG. 1
(Prior Art)




FIG. 2
(Prior Art)

3/12




FIG. 3




FIG. 4b














FIG. 4a












FIG. 7



10/12




FIG. 9b

FIG. 9a




FIG. 10b




FIG. 10a




FIG. 10d




FIG. 10c




FIG. 10e




FIG. 10f